

Message

From: Rykaczewski, Dave A. [Dave.Rykaczewski@wsp.com]
Sent: 6/5/2018 9:00:29 PM
To: Santos, Carmen [Santos.Carmen@epa.gov]
CC: Cepko, Russ P [Russ.Cepko@cbs.com]
Subject: RE: CBS / Former Westinghouse - Excel spreadsheet for each DU
Attachments: ProUCL Input Transformer Pit Walls and Floor-1 (060518).xls; ProUCL Input Concrete Floors-1 NE Quadrant (060518).xls; ProUCL Input Concrete Floors-2 NW Quadrant (060518).xls; ProUCL Input Concrete Floors-3 SW Quadrant (060518).xls; ProUCL Input Concrete Floors-4 SE Quadrant (060518).xls; ProUCL Input Concrete Floors-5 Interior Office_Mezzanine (060518).xls; ProUCL Input Concrete Walls-1 NE Quadrant (060518).xls; ProUCL Input Concrete Walls-2 NW Quadrant (060518).xls; ProUCL Input Concrete Walls-3 SW Quadrant (060518).xls; ProUCL Input Concrete Walls-4 SE Quadrant (060518).xls; ProUCL Input Concrete Walls-5 Interior Office (060518).xls; ProUCL Input Control Room Storage Room Walls (060518).xls; ProUCL Input HVAC-1 Western Office Area (060518).xls; ProUCL Input Indoor Air-1 Vapor (060518).xls; ProUCL Input Loading Dock-1 NE (060518).xls; ProUCL Input Loading Dock-2 SE (060518).xls; ProUCL Input Loading Dock-3 SW (060518).xls; ProUCL Input Nonporous Surfaces-1 8 ft or lower (060518).xls; ProUCL Input Nonporous Surfaces-2 Higher than 8 ft (060518).xls; ProUCL Input Nonporous Surfaces-3 Floor grates and drains (060518).xls

Carmen,

The attached files have the data for each decision unit. Please let us know if this format suits your needs.

Thanks,
Dave

Dave Rykaczewski, PE

Senior Technical Manager
Water & Environment



11 Stanwix Street, Suite 950, Pittsburgh, PA 15222
Direct: +1-412-375-0282
Main: +1-412-604-1040
Mobile: +1-412-418-0140

Please note I have a new address.

www.wsp.com/usa

From: Santos, Carmen [mailto:Santos.Carmen@epa.gov]
Sent: Wednesday, May 30, 2018 5:41 PM
To: Rykaczewski, Dave A. <Dave.Rykaczewski@wsp.com>
Cc: Cepko, Russ P <Russ.Cepko@cbs.com>
Subject: CBS / Former Westinghouse - Excel spreadsheet for each DU

Hi Dave,

I hope that your week is going well. We tried to begin our review of the Excel calculations that you sent to me. Please resend the Excel table containing separate sheets for each DU. Each separate sheet should include the

individual data for each of the DUs described in the proposed cleanup approach. The revised Excel book will help and allow us review the 95% UCL calculations.

Thank you for your courtesies and please call me if you have questions about this email.

Best,
Carmen D. Santos
PCB Coordinator



USEPA Region 9
Land Division, LND-4-1
75 Hawthorne Street
San Francisco, CA 94105
415.972.3360
santos.carmen@epa.gov

"I am imagination. I can see what the eyes cannot see. I can hear what the ears cannot hear. I can feel what the heart cannot feel." Zarlenga

~~~~~

Before printing this message and/or attachments: Think Green

{This e-mail including any attachments, may contain non-public, privileged, and/or confidential information solely intended for the designated recipient(s). If you receive this e-mail and are not an intended recipient, please delete this e-mail and its attachments right away. Unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

\*\*\*\*\*